

Work Order ID 144995

April 28, 2016 2:36:53 PM

144995

Page 1

Item ID: D3298-009 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Tube Assembly
 Start Date: 5/2/2016 Start Qty: 3.00 ***3*** Cust Item ID:
 Required Date: 5/4/2016 Req'd Qty: 3.00 ***3*** Customer:
 Reference:

Approvals: Process Plan: SH Date: 20160427 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3298	Rev B								

100 0.00
100 Small Fab 3 FF APR 29 2016
 Small Fab Memo 1.08
 Small Fab Flare end as per Dwg D3298. Ensure that sleeves and coupling are installed first

110 0.00
110 QC5- Inspect part completeness to step on W/O (3) DAS 33 9-89
 QC Memo 0.06 APR 29 2016
 Quality Control

120 0.00
120 Identify as per dwg & Stock Location: St210
 Packaging Memo 0.03 3x DAS 28 9-89 MAY 02 2016
 Packaging

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation				Disposition			
				Completed By			
				Lead hand / Supervisor Approval Verification			
				QC / QA Coordinator Approval			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
☐ OTHER : _____							

Work Order ID 144995

April 28, 2016 2:36:53 PM

144995

Page 2

Item ID: D3298-009 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Tube Assembly
Start Date: 5/2/2016 Start Qty: 3.00 ***3*** Cust Item ID:
Required Date: 5/4/2016 Req'd Qty: 3.00 ***3*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.30							
Quality Control									

_____ *MLJ* _____ MAY 03 2016

MLJ MAY 03 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

April 28, 2016 2:36:58 PM

Page 1
1

Work Order ID: 144995

144995

Parent Item: D3298-009

D3298-009

Parent Item Name: Tube Assembly

Start Date: 5/2/2016

Required Date: 5/4/2016

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP A04.09.08New issueKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN818-6D		Purchased	No			100	Each	37.0000	1	3			
AN818-6D									**			APR 29 2016	
Nut													

Location	Loc Qty	Loc Code
ST325	37	
128306	1	
129913	18	
<u>m134573</u>	18	

M6061T6T0.375W.035

Purchased

No

100

f

75.0812

0.5

1.578947

M6061T6T0 375W 035

APR 29 2016

6061-T6 RD Tube .375 x.035W

Location	Loc Qty	Loc Code
MAT013	75.081205	
124491	64.5	
<u>m130071</u>	10.581205	

MS20819-6D

Purchased

No

100

Each

29.0000

1

3


MS20819-6D

APR 29 2016

Sleeve

Location	Loc Qty	Loc Code
ST306	29	
m128401	3	
m133938	13	
<u>m134573</u>	13	

ITEM NO.	QTY	P/N	DESCRIPTION
1	X	D3298-001	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-001 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-001" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-001T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED


20160427

SA
144995

RELEASED
2010-01-14

B	DRAWING UPDATED TO CURRENT STANDARDS. 16.00 WAS 15.75 (ZN C3-1, C4-2) & CORRECT VIEW (ZN D4-2); PER CAR 09-004	RF	09.12.30
A	NEW ISSUE	RF	04.07.06
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 1 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -003	P/N	DESCRIPTION
1	X	D3298-003	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-003 TUBE ASSEMBLY


RELEASED
2010-01-14

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/8
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-003" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-003T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 2 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR CONTINGATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -005	P/N	DESCRIPTION
1	X	D3298-005	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-005 TUBE ASSEMBLY




NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-005" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-005T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10 ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14
MD

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 3 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -007	P/N	DESCRIPTION
1	X	D3298-007	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-007 TUBE ASSEMBLY


NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-007" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.05 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-007T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-13

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>RF</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>RF</i>	D3298	SHEET 4 OF 8
APPROVED	<i>RF</i>	TITLE	SCALE
DE APPR.	<i>RF</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -009	P/N	DESCRIPTION
1	X	D3298-009	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT



D3298-009 TUBE ASSEMBLY




NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-009" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.04 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-009T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-16
[Signature]

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3298	REV. B
MFG. APPR.	<i>[Signature]</i>	TITLE	SHEET 5 OF 8
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	SCALE NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-011	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-011 TUBE ASSEMBLY


NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-011" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-011T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>RF</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>RF</i>	D3298	SHEET 6 OF 8
APPROVED	<i>RF</i>	TITLE	SCALE
DE APPR.	<i>RF</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY -013	P/N	DESCRIPTION
1	X	D3298-013	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-013 TUBE ASSEMBLY




NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER VVV-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-013" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-013T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>RF</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>RF</i>	D3298	SHEET 7 OF 8
APPROVED	<i>RF</i>	TITLE	SCALE
DE APPR.	<i>RF</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY -015	P/N	DESCRIPTION
1	X	D3298-015	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT



D3298-015 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-015" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-015T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10 ENSURE SEAMLESS TUBING IS USED

RELEASED
2018-01-14
JAD

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 8 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	